

L Number	Hits	Search Text	DB	Time stamp
-	316	packet near3 classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:45
-	3464959	(load weight)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:36
-	83011	process\$3 near3 ((load weight))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:37
-	0	(packet near3 classifier) with (process\$3 near3 ((load weight)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:37
-	3	(packet near3 classifier) same (process\$3 near3 ((load weight)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:37
-	13	(packet near3 classifier) with ((load weight))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:41
-	341430	(load weight) near3 bas\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:43
-	25447	((selct\$3 choos\$3 chos\$2) near3 (CPU process\$3 computer node terminal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:43
-	0	(packet near3 classifier) same (((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:44
-	0	(packet near3 classifier) and (((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:44
-	11	((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:44
-	197105	classif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:45

-	335	((process\$3 near3 ((load weight))) same classif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:47
-	258	((process\$3 near3 ((load weight))) same classif\$3) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:49
-	7	((process\$3 near3 ((load weight))) same classif\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:47
-	151	classifier near10 load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:49
-	107	(classifier near10 load) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:39
-	26	((classifier near10 load) and (@ad < 20000629 @rlad < 20000629)) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:30
-	41	(classifier near10 load) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:56
-	41	((classifier near10 load) and (@ad < 20000629 @rlad < 20000629)) and network) ((classifier near10 load) and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:04
-	472	((process\$3 near3 ((load weight))) same classif\$3) (classifier near10 load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:58
-	40	((process\$3 near3 ((load weight))) same classif\$3) (classifier near10 load)) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:58
-	27	((process\$3 near3 ((load weight))) same classif\$3) (classifier near10 load)) same network) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:58
-	1767	packet adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:35

-	709679	balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:28
-	37	(packet adj processor) same balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:28
-	29619	select\$3 near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:11
-	16383	classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:11
-	20	(select\$3 near3 processor) same classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:35
-	18	((select\$3 near3 processor) same classifier) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:46
-	3077	load adj balance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:45
-	2	(packet adj processor) same (load adj balance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:45
-	1	((packet adj processor) same (load adj balance)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:46
-	2322	balanc\$3 near5 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:46
-	36	(balanc\$3 near5 processor) near5 packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:46
-	15	((balanc\$3 near5 processor) near5 packet) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:52

-	17861	protocol near3 process\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:02
-	1983	(protocol near3 process\$3) and classif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:03
-	158	(protocol near3 process\$3) same classif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:03
-	27	((protocol near3 process\$3) same classif\$5) same (select\$3 choos\$3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:38
-	12	((((protocol near3 process\$3) same classif\$5) same (select\$3 choos\$3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:40
-	206956	select\$3 near3 (classif\$3 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:37
-	83495	(classifier process\$3) near3 (weight load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:39
-	1823	(select\$3 near3 (classif\$3 process\$3)) with packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:40
-	61	((classifier process\$3) near3 (weight load)) same ((select\$3 near3 (classif\$3 process\$3)) with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:40
-	30	((((classifier process\$3) near3 (weight load)) same ((select\$3 near3 (classif\$3 process\$3)) with packet)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:09
-	223710	select\$3 near3 (process\$3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:06
-	201329	interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:07

-	2186	(select\$3 near3 (process\$3 interface)) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:06
-	1115	(select\$3 near3 (process\$3 interface)) with interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:08
-	30951	interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:08
-	369	(select\$3 near3 (process\$3 interface)) same (interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:09
-	310	((select\$3 near3 (process\$3 interface)) same (interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3))) and (@ad < 20000127 @rlad < 20000127)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:28
-	268	packet adj3 classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:12
-	12	(packet adj3 classifier) and cisco.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:22
-	7555	(transmit\$ send\$) near2 interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:22
-	11593	(receiv\$3) near2 interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:22
-	7553	(transmit\$ send\$3) near2 interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:24
-	26373	select\$3 near3 interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:23
-	11	((receiv\$3) near2 interrupt) same (select\$3 near3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:23

-	1	((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)) and (((receiv\$3) near2 interrupt) same (select\$3 near3 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:24
-	362713	(transmit\$ send\$3) near2 (data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:25
-	387617	(receiv\$3) near2 (data packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:25
-	1	((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)) same (((receiv\$3) near2 interrupt) same (select\$3 near3 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:25
-	11	((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:26
-	135110	((transmit\$ send\$3) near2 (data packet)) same ((receiv\$3) near2 (data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:27
-	106540	((transmit\$ send\$3) near2 (data packet)) with ((receiv\$3) near2 (data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:27
-	1414	(select\$3 near3 interface) same ((receiv\$3) near2 (data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:27
-	1133	(select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:27
-	403	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:28
-	36	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))) same (pool ((imultiple plurality) near3 interfaces))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:28
-	24	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))) same (pool ((imultiple plurality) near3 interfaces)) and (@ad < 20000127 @rlad < 20000127)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:29

-	221	packet near classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:14
-	1522	processor near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:22
-	14603	process\$3 near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:11
-	1	(packet near classifier) with (process\$3 near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:10
-	2	(packet near classifier) same (process\$3 near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:10
-	10	(packet near classifier) and (process\$3 near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:10
-	22327	load near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:11
-	4	(packet near classifier) with (load near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12
-	0	classifier with balkanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12
-	116	classifier with balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:13
-	81	(classifier with balanc\$3) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:23
-	19079	(protocol packet data) near3 classif\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:15

-	2	(processor near3 balanc\$3) with ((protocol packet data) near3 classif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:15
-	220563	(protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:37
-	35183	(load process\$3) near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:37
-	157	((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:39
-	40299	(protocol packet data) near3 (filter\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:39
-	47	((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:40
-	162	((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:41
-	204	((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:41
-	180	((classifier with balanc\$3) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad < 20000629 @rlad < 20000629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:43

-	112	((classifier with balanc\$3) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad < 20000629 @rlad < 20000629)) and (computer network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:43
-	39	((classifier with balanc\$3) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad < 20000629 @rlad < 20000629)) and (computer near3 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:44
-	312	(classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:44
-	107	((classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) same (computer network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:44
-	53	((classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) same (computer network)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 11:30
-	22327	load near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:25
-	74862	((data label specification) near3 flow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:26
-	547539	(select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:28

-	383	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:28
-	3	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) same (((data label specification) near3 flow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:29
-	83	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:29
-	49	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))) and (classif\$7 filter\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:30
-	21	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))) and (classif\$7 filter\$3)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:24
-	78	bunjob.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:24
-	1	bunjob.xa. and sony.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:24
-	4738	(filter\$3 classify\$3) near3 packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:37
-	1016	((filter\$3 classify\$3) near3 packet) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:37
-	68	((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:41
-	39	((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:43
-	8	((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))) same (select\$3 allocat\$3 designat\$3 assign\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:48

-	5	(((((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))) same (select\$3 allocat\$3 designat\$3 assign\$3)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:22
-	1669	packet near3 assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:48
-	4738	((filter\$3 classify\$3) near3 packet) same11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 08:48
-	1174231	(select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:49
-	538	(((((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:21
-	9	(((((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer))) same balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:22
-	5	(((((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))) same (select\$3 allocat\$3 designat\$3 assign\$3)) and (@ad < 20000629 @rlad < 20000629)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:23
-	3	(((((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer))) same balanc\$3) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:52
-	37	(packet near processor) with balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:44
-	2	((filter\$3 classify\$3) near3 packet) same ((packet near processor) with balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:43
-	4791	(processor) with balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:44
-	120	((process\$3 assembly) near3 (packet segment fragment)) with (balanc\$3 near2 load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:45

-	29998	(select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:50
-	25559	(assembly process\$3) near3 packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:51
-	240	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:51
-	55	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet) and (load near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:51
-	26	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet) and (load near3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:06
-	22485	load near3 balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:05
-	7925	(flow near3 classif\$7) FEC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:06
-	6	(load near3 balanc\$3) same ((flow near3 classif\$7) FEC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:07
-	1	((load near3 balanc\$3) same ((flow near3 classif\$7) FEC)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:07
-	3509	(flow near3 (class classification categoriz\$3 classify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:07
-	11	((flow near3 (class classification categoriz\$3 classify\$3))) same (load near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:07
-	1	((flow near3 (class classification categoriz\$3 classify\$3))) same (load near3 balanc\$3)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:07